MATERIAL SAFETY DATA SHEET

2,6 Lutidine

SECTION 1: Identification of the substance/company/undertaking

1.1.Productidentifier 2, 6-Lutidine

Synonyms: 2, 6-Dimethylpyridine; 2, 6-Lutidine Super Dry

ChemicalAbstractsRegistryNo: 108-48-5

1.2.Relevantidentifiedusesofthesubstance ormixtureandusesadvisedagainst

Chemical intermediate

1.3.Detailsofthesupplierofthesafetydatasheet

M/s Shakambari Aromatics Private Limited

Village: Dudiya-Matewa, Tehsil: Gunderdehi District: Balod, Chhattisgarh: 491225, India

Ph: +91 95893 77899

SECTION 2: Hazards identification

<u>2.1.Classificationofthesubstance ormixture</u> (According to Regulation (EC) No 1272/2008, 29 CFR 1910.1200 and the Globally Harmonized System)

Flammable Liquids Category 3 Serious Eye Irritation Category 2 Skin Irritation Category 2 Acute Toxicity Oral Category 4

2.2.Labelelements



Hazard Symbols (Pictogram): Signal Word:

Hazard Precautions:

Warning

H226 - Flammable liquid and vapour.

H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation.

Prevention Precautionary Statements: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting/telecommunication/computer/ equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

First Aid Precautionary Statements: P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

SECTION 3: Composition/information on ingredients

3.1.Substances or 3.2.Mixtures

Ingredient	CAS Number	Concentration (weight %)	EC Number	CLP Inventory/ Annex VI	EU CLP Classification (1272/2008)
2,6-Lutidine	108-48-5	~100	203-587-3	Not applicable.	Flam. Liq. 3; H226 Eye Irrit. 2; H319 Skin Irrit. 2; H315 Acute Tox. 4; H302

NOTE: See Section 8 for exposure limit data for these ingredients. See Section 15 for trade secret information (where applicable).

SECTION 4: First aid measures

4.1.Descriptionoffirstaidmeasures

Skin Contact: Immediately flush with water for 15 minutes. Wash the contaminated skin with soap and water. If

irritation develops, call a physician.

Eye Contact: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

Inhalation: Remove from exposure. If not breathing, give artificial respiration and call a physician.

Ingestion: If swallowed, contact physician or poison control center immediately.

4.2Mostimportantsymptomsandeffects, bothacuteanddelayed

Acute: 2,6-Lutidine is mildly irritating to skin and severely irritating to eyes. Vapors may be irritating to the

respiratory tract. May be readily absorbed through the skin. Extended exposure (e.g. from saturated clothing) may lead to systemic poisoning. Symptoms may include headache, dizziness, drowsiness, nausea, and other effects. Symptoms seen after inhalation overexposures are expected to be essentially

the same as those listed previously.

Delayed Effects: None known.

4.3.Indicationofanyimmediatemedicalattentionandspecialtreatmentneeded

Note to Physician: No specific indications. Treatment should be based on the judgment of the physician in response to the

reactions of the patient.

SECTION 5: Firefighting measures

5.1.Extinguishingmedia

Appropriate Extinguishing

Foam, carbon dioxide, dry chemical, water fog

Media:

5.2. Specialhazardsarising from the substance or mixture

Hazardous Products of

Toxic vapors may be released upon thermal decomposition (cyanides, nitrogen oxides, carbon

Combustion: monoxide).

Potential for Dust Explosion:

Not applicable.

Special Flammability Hazards:

Severe explosion hazard in the form of vapor (within flammability limits) when exposed to heat, flame or

static discharge.

5.3.Adviceforfirefighters

Basic Fire Fighting Guidance:

Wear self-contained breathing apparatus and full protective clothing (i.e., Bunker gear). Skin and eye

contact should be avoided. Normal fire fighting procedures may be used.

SECTION 6: Accidental release measures

6.1.Personal precautions, protective equipmentande mergency procedures

Evacuation Procedures: Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Special Instructions: See Section 8 for personal protective equipment recommendations. Remove all contaminated clothing

to prevent further absorption. Decontaminate affected personnel using the first aid procedures in

Section 4. Leather shoes that have been saturated must be discarded.

6.2.Environmental precautions

Prevent releases to soils, drains, sewers and waterways.

6.3.Methodsandmaterialforcontainmentandcleaningup

Remove all ignition sources. Ventilate the area of spill or leak. Wear protective equipment during clean-up. For small spills, use suitable absorbent material and collect for later disposal. For large spills, the area may require diking to contain the spill. Material can then be collected (eg., suction) for later disposal. After collection of material, flush area with water. Dispose of the material in accordance with standard practice for disposal of potentially hazardous materials as required by applicable federal, state or local laws.

6.4.Referencetoothersections

Refer to section 8 for information on selecting personal protective equipment. Refer to section 13 for information on spilled product, absorbent and clean up material disposal instructions.

SECTION 7: Handling and storage

7.1.Precautions for safehandling

Practices to Minimize Risk: Wear appropriate protective equipment when performing maintenance on contaminated equipment.

Wash hands thoroughly before eating or smoking after handling this material. Do not eat, drink or smoke in work areas. Prevent contact with incompatible materials. Avoid spills and keep away from drains.

Handle in a manner to prevent generation of aerosols, vapors or dust clouds.

7.2. Conditions for safestorage, including any incompatibilities

Storage Precautions & Recommendations:

Maintain dry, ventilated conditions for storage. Protect containers against physical damage. Outside or detached storage is preferable. Inside storage should be in standard flammable liquids storage room or

cabinet.

Dangerous Incompatibility

Reactions:

Avoid contact with strong acids and oxidizing agents.

Incompatibilities with Materials

of Construction:

None known

7.3.Specificenduse(s)

If a chemical safety assessment has been completed an exposure scenario is attached as an annex to this Safety Data Sheet. Refer to this annex for the specific exposure scenario control parameters for uses identified in subsection 1.2.

SECTION 8: Exposure controls/personal protection

8.1.Controlparameters

Occupational Exposure Limits: Not established.

8.2.Exposurecontrols

Also see the annex to this SDS (if applicable) for specific exposure scenario controls.

Other Engineering Controls: All operations should be conducted in well-ventilated conditions. Local exhaust ventilation should be

provided.

Personal Protective Equipment: Follow the OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149.

Always use a NIOSH or European Standard EN 149 approved respirator when necessary. Chemical goggles or safety glasses (EN166) should be worn at all times; use face shields as conditions warrant. Neoprene, nitrile or PVC-coated gloves (Standard EN 374). Safety glasses or chemical goggles (Standard EN166). Chemical resistant clothing (Standard EN368). Impervious clothing and boots.

Respirator Caution: Observe OSHA regulations for respirator use (29 CFR 1910.134) or equivalent guidance. Air-purifying

respirators must not be used in oxygen-deficient atmospheres.

Thermal Hazards: Not applicable.

Environmental Exposure

Controls:

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or

statutory limits.

SECTION 9: Physical and chemical properties

9.1.Informationonbasicphysicalandchemicalproperties

Appearance, State & Odor (ambient temperature):

straw-colored liquid with a characteristic odor

Molecular Weight: Molecular Formula: C7H9N 107.16

Vapor Pressure: 5.65 mm Hg @ 25°C Evaporation Rate: Not determined

Specific Gravity or Density: 0.923 Vapor Density (air = 1): 3.70 144 °C -6 °C **Boiling Point:** Freezing / Melting Point:

Solubility in Water: 27 - 30% @ 34 - 45°C Octanol / Water Coefficient: 1.68

 $pKa = 6.6 @ 25^{\circ}C$ Odor Threshold: No data available. pH: **Autoignition Temperature:** Viscosity: No data available. No data available. 99°F (37°C) Tag Closed Cup Flammable Limits: Flash Point and Method: No data available. Flammability (solid, gas): Decomposition Temperature: No data available. Not applicable.

Explosive Properties: Not explosive. Oxidizing Properties: Not an oxidizer.

SECTION 10: Stability and reactivity

Avoid static discharge and uncontrolled exposure to high temperatures.

Not classified as dangerously reactive. 10.1.Reactivity

Stable 10.2.Chemicalstability

10.3.Possibilityofhazardous Will not autopolymerize.

reactions

Avoid contact with strong acids and oxidizing agents.

10.5.Incompatiblematerials

10.6.Hazardous decomposition

10.4.Conditionstoavoid

products

Toxic vapors may be released upon thermal decomposition (cyanides, nitrogen oxides, carbon

monoxide).

SECTION 11: Toxicological information

11.1.Informationontoxicological effects

Acute Oral LD₅₀: Oral LD₅₀ (rat) = 457 mg/kg2,6-Lutidine

Dermal LD₅₀ (guinea pig) = 2500 mg/kg2,6-Lutidine Acute Dermal LD₅₀:

Dermal LD₅₀ (rabbit) > 1000 mg/kg

Acute Inhalation LC₅₀: No data available.

Skin Irritation: Moderately irritating to skin.

Eye Irritation: Moderately irritating to eyes.

Skin Sensitization: Not expected to be a sensitizer.

Mutagenicity: No data available.

Reproductive / Developmental

Toxicity:

No data available.

This material is not listed by IARC, NTP or OSHA as a carcinogen. No test data is available that Carcinogenicity:

indicates this material is a carcinogen.

Target Organs: As a class, some pyridines have been shown to be hepatotoxins (cause liver damage) with chronic

overexposure by any route.

Aspiration Hazard: No data available.

Skin contact and absorption, eye contact, and inhalation. Ingestion is not likely to be a primary route of Primary Route(s) of Exposure:

exposure.

Most important symptoms and

effects, both acute and delayed

2,6-Lutidine is mildly irritating to skin and severely irritating to eyes. Vapors may be irritating to the respiratory tract. May be readily absorbed through the skin. Extended exposure (e.g. from saturated clothing) may lead to systemic poisoning. Symptoms may include headache, dizziness, drowsiness, nausea, and other effects. Symptoms seen after inhalation overexposures are expected to be essentially

the same as those listed previously. Delayed Effects: None known.

Additive or Synergistic effects: None known.

Additional Toxicity Information: 2,6-Lutidine did not meet the criteria for Class 8 (corrosive) under DOT testing requirements.

SECTION 12: Ecological information

EC₅₀ Oncorhynchus mykiss (rainbow trout) > 5000 μg/L 2.6-Lutidine 12.1.Toxicity

Readily biodegradable. 12.2.Persistenceand

degradability

Not expected to bioconcentrate in aquatic species.

12.4.Mobilityinsoil This material is expected to have moderate mobility in soil. It absorbs to most soil types.

12.5.ResultsofPBTandvPvB This substance is not a PBT or vPvB.

assessment

SECTION 13: Disposal considerations

13.1.Wastetreatmentmethods

12.3.Bioaccumulativepotential

D001 US EPA Waste Number: Waste Classification: (per US

regulations)

Ignitable.

Waste Disposal: NOTE: Generator is responsible for proper waste characterization. State hazardous waste regulations

may differ substantially from federal regulations. Dispose of this material responsibly, and in accordance

with standard practice for disposal of potentially hazardous materials as required by applicable

international, national, regional, state or local laws, and environmental protection duty of care principles. Do NOT dump into any sewers, on the ground, or into any body of water. For disposal within the EC, the

appropriate classification code according to the European Community List of Wastes should be used. Note that disposal regulations may also apply to empty containers and equipment rinsates.

SECTION 14: Transport information

The following information applies to all shipping modes (DOT/IATA/ICAO/IMDG/ADR/RID/ADN), unless otherwise indicated:

UN1993 14.1. UN number 14.2. UN proper shipping name Flammable liquid, n.o.s. (2,6-Lutidine)

14.4. Packing group 14.3. Transport hazard class(es) 3 PG III

14.5. Environmental hazards Not applicable.

NA Emergency Guidebook Numbers: 128 IMDG EMS: S-E; F-E 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1.Safety, healthandenvironmental regulations/legislations pecific for the substance or mixture

Chemical Inventory Lists: Status:

EINECS/ELINCS: USA TSCA: Listed Listed (203-587-3) Canada (DSL/NDSL): Listed (DSL) Japan ENCS: Listed ((5)-712)

Listed (KE-11843) Australia: Korea: Listed Philippines: China: Listed Listed New Zealand: Taiwan: Listed Listed

ID Number 8300, hazard class 3 - severe hazard to waters (2,6-Dimethylpyridin) German Water Hazard

Classification:

Not applicable. SARA 313: Reportable Quantities: Not applicable.

State Regulations: Not applicable.

FLAMMABILITY

HMIS IV: NFPA: HEALTH

3

PHYSICAL HAZARD 0

SECTION 16: Other information

Classification Method: On basis of test data

Legend of Abbreviations:

ACGIH = American Conference on Governmental Industrial Hygienists.

CAS = Chemical Abstracts Service. CFR = Code of Federal Regulations.

DSL/NDSL = Domestic Substances List/Non-Domestic Substances List.

EC = European Community.

EINECS = European Inventory of Existing Commercial Chemical Substances.

ELINCS = European List of Notified Chemical Substances.

LD = Lethal Dose.

NFPA = National Fire Protection Association.

NIOSH = National Institute of Occupational Safety and Health.

NTP = National Toxicology Program.

OSHA = Occupational Safety and Health Administration

PEL = Permissible Exposure Limit.

RQ = Reportable Quantity.

EU = European Union.
GHS = Globally Harmonized System.
LC = Lethal Concentration.

SARA = Superfund Amendments and Reauthorization Act of 1986. TLV = Threshold Limit Value. WHMIS = Workplace Hazardous Materials Information System.

Important Note: Please note that the information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. The information contained herein may change without prior notice. THIS SAFETY DATA SHEET SUPERSEDES ALL PREVIOUS EDITIONS.

